Author Index Vol. 657

Ahuja, E.S., Preston, B.P. and Foley, J.P.
Anionic–zwitterionic mixed micelles in micellar electrokinetic chromatography: sodium dodecyl sulfate–N-dodecyl-N,N-dimethylammonium-3-propane-1-sulfonic acid 657(1994)271

Ascalone, V., Locatelli, M. and Malavasi, B.
Determination of diltiazem and its main metabolites in human plasma by automated solid-phase extraction and high-performance liquid chromatography: a new method overcoming instability of the compounds and interference problems 657(1994)133

Bagli, M., Rao, M.L. and Höflich, G.
Quantification of chlorprothixene, levomepromazine and promethazine in human serum using high-performance liquid chromatography with coulometric electrochemical detection 657(1994)141

Bakes, D.M., see Gordon, B.H. 657(1994)163

Banks, C.M., see Wu, S.T. 657(1994)254

Bechtel, P.R., see Maboundou, C.W. 657(1994)173

Begley, D.J., Reichel, A. and Ermisch, A.
Simple high-performance liquid chromatographic analysis of free primary amino acid concentrations in rat plasma and cisternal cerebrospinal fluid 657(1994)185

Belinda Alvarado, A., see Chan, K.C. 657(1994)301

Bennett, P., see Gordon, B.H. 657(1994)163

Benson, L.M., see Tomlinson, A.J. 657(1994)373

Bérard, M., see Maboundou, C.W. 657(1994)173

Blair, I.A., see Zhang, J.Y. 657(1994)23

Blaschke, G., see Terefe, H. 657(1994)238

Boss, E., see Flesch, G. 657(1994)155

Candito, M., Nagatsu, T., Chambon, P. and Chatel, M.
High-performance liquid chromatographic measurement of cerebrospinal fluid tetrahydrobiopterin, neopterin, homovanillic acid and 5-hydroxindoleacetic acid in neurological diseases 657(1994)61

Capodaglio, E., see Maestri, L. 657(1994)111

Carrera, P., see Gelfi, C. 657(1994)201

Celletti, P., see De Witt, P. 657(1994)67

Celma, C.
Determination of the platelet activating factor antagonist 6-(2-chlorophenyl)-9-[(4-methoxyphenyl)thiocarbamoyl]-1-methyl-7,8,9,10-tetrahydro-4H-pyrido[4′,3′-4,5]-thieno[3,2-*f*][1,2,4]triazolo[4,3-*a*][1,4] diazepine in human plasma by liquid chromatography–thermospray mass spectrometry 657(1994)214

Chambon, P., see Candito, M. 657(1994)61

Chan, K.C.
High-performance liquid chromatography and micellar electrokinetic chromatography of taxol and related taxanes from bark and needle extracts of *Taxus* species 657(1994)301

Chan, K.C. , see Janini, G.M. 657(1994)419

Chatel, M., see Candito, M. 657(1994)61

Chen, D.Y. and Dovichi, N.J.
Yoctomole detection limit by laser-induced fluorescence in capillary electrophoresis 657(1994)265

Chen, X., see Thomas, B.R. 657(1994)383

Christensen, J., see Johnson, R. 657(1994)125

Conter, V., see Gentili, D. 657(1994)47

Cox, S., Harvey, R. and Frazier, D.
High-performance liquid chromatographic determination of intrathecally administered [D-Ala^2-D-Leu^5]-enkephalin concentrations in canine cerebrospinal fluid 657(1994)243

Degen, P.H., see Flesch, G. 657(1994)155

Deias, R., see De Witt, P. 657(1994)67

De Koster, V., see Van Belle, K. 657(1994)149

Delmas, J.-M., see Renard, L. 657(1994)219

De Witt, P., Deias, R., Muck, S., Galletti, B., Meloni, D., Celletti, P. and Marzo, A.
High-performance liquid chromatography and capillary electrophoresis of L- and D-carnitine by precolumn diastereomeric derivatization 657(1994)67

Dickens, J.E., Gorse, J., Everhart, J.A. and Ryan, M.
Dependence of electroosmotic flow in capillary electrophoresis on Group I and II metal ions 657(1994)401

Diedrich, P., see Zhao, J.Y. 657(1994)307

Dieterle, W., see Flesch, G. 657(1994)155

D'Incalci, M., see Gentili, D. 657(1994)47

Dovichi, N.J., see Chen, D.Y. 657(1994)265

Dovichi, N.J., see Zhao, J.Y. 657(1994)307

Ebinger, G., see Van Belle, K. 657(1994)149

Emm, T.A., see Wu, S.T. 657(1994)254

Engels, W., see Van Haaster, C.M.C.J. 657(1994)261

Eriksson, C.G., see Pettersson, L. 657(1994)31

Ermisch, A., see Begley, D.J. 657(1994)185

Evans, G.L., see Harker, A.J. 657(1994)227

Everhart, J.A., see Dickens, J.E. 657(1994)401

Fang, X.G., see Thomas, B.R. 657(1994)383

Ferrari, M., see Gelfi, C. 657(1994)201

Flesch, G., Mann, C., Boss, E., Lang, M., Degen, P.H. and Dieterle, W.
Quantitative determination of CGP 53 437, a new HIV protease inhibitor, in plasma by high-performance liquid chromatography and fluorescence detection 657(1994)155

Foley, J.P., see Ahuja, E.S. 657(1994)271

Frazier, D., see Cox, S. 657(1994)243

Galletti, B., see De Witt, P. 657(1994)67

Galli Kienle, M., see Magni, F. 657(1994)1

Gasco-Lopez, A.I., see Santos-Montes, A. 657(1994)248

Gelfi, C., Orsi, A., Righetti, P.G., Zanussi, M., Carrera, P. and Ferrari, M.
Capillary zone electrophoresis in polymer networks of polymerase chain reaction-amplified oligonucleotides: the case of congenital adrenal hyperplasia 657(1994)201

Gentili, D., Zucchetti, M., Conter, V., Masera, G. and D'Incalci, M.
Determination of L-asparagine in biological samples in the presence of L-asparaginase 657(1994)47

Ghittori, S., see Maestri, L. 657(1994)111

Ghodbane, S., see Thomas, B.R. 657(1994)383

Author Index Vol. 657

Ahuja, E.S., Preston, B.P. and Foley, J.P.
Anionic–zwitterionic mixed micelles in micellar electrokinetic chromatography: sodium dodecyl sulfate–N-dodecyl-N,N-dimethylammonium-3-propane-1-sulfonic acid 657(1994)271

Ascalone, V., Locatelli, M. and Malavasi, B.
Determination of diltiazem and its main metabolites in human plasma by automated solid-phase extraction and high-performance liquid chromatography: a new method overcoming instability of the compounds and interference problems 657(1994)133

Bagli, M., Rao, M.L. and Höflich, G.
Quantification of chlorprothixene, levomepromazine and promethazine in human serum using high-performance liquid chromatography with coulometric electrochemical detection 657(1994)141

Bakes, D.M., see Gordon, B.H. 657(1994)163

Banks, C.M., see Wu, S.T. 657(1994)254

Bechtel, P.R., see Maboundou, C.W. 657(1994)173

Begley, D.J., Reichel, A. and Ermisch, A.
Simple high-performance liquid chromatographic analysis of free primary amino acid concentrations in rat plasma and cisternal cerebrospinal fluid 657(1994)185

Belinda Alvarado, A., see Chan, K.C. 657(1994)301

Bennett, P., see Gordon, B.H. 657(1994)163

Benson, L.M., see Tomlinson, A.J. 657(1994)373

Bérard, M., see Maboundou, C.W. 657(1994)173

Blair, I.A., see Zhang, J.Y. 657(1994)23

Blaschke, G., see Terefe, H. 657(1994)238

Boss, E., see Flesch, G. 657(1994)155

Candito, M., Nagatsu, T., Chambon, P. and Chatel, M.
High-performance liquid chromatographic measurement of cerebrospinal fluid tetrahydrobiopterin, neopterin, homovanillic acid and 5-hydroxindoleacetic acid in neurological diseases 657(1994)61

Capodaglio, E., see Maestri, L. 657(1994)111

Carrera, P., see Gelfi, C. 657(1994)201

Celletti, P., see De Witt, P. 657(1994)67

Celma, C.
Determination of the platelet activating factor antagonist 6-(2-chlorophenyl)-9-[(4-methoxyphenyl)thiocarbamoyl]-1-methyl-7,8,9,10-tetrahydro-4H-pyrido[4′,3′-4,5]-thieno[3,2-*f*][1,2,4]triazolo[4,3-*a*][1,4] diazepine in human plasma by liquid chromatography–thermospray mass spectrometry 657(1994)214

Chambon, P., see Candito, M. 657(1994)61

Chan, K.C.
High-performance liquid chromatography and micellar electrokinetic chromatography of taxol and related taxanes from bark and needle extracts of *Taxus* species 657(1994)301

Chan, K.C. , see Janini, G.M. 657(1994)419

Chatel, M., see Candito, M. 657(1994)61

Chen, D.Y. and Dovichi, N.J.
Yoctomole detection limit by laser-induced fluorescence in capillary electrophoresis 657(1994)265

Chen, X., see Thomas, B.R. 657(1994)383

Christensen, J., see Johnson, R. 657(1994)125

Conter, V., see Gentili, D. 657(1994)47

Cox, S., Harvey, R. and Frazier, D.
High-performance liquid chromatographic determination of intrathecally administered [D-Ala^2-D-Leu^5]-enkephalin concentrations in canine cerebrospinal fluid 657(1994)243

Degen, P.H., see Flesch, G. 657(1994)155

Deias, R., see De Witt, P. 657(1994)67

De Koster, V., see Van Belle, K. 657(1994)149

Delmas, J.-M., see Renard, L. 657(1994)219

De Witt, P., Deias, R., Muck, S., Galletti, B., Meloni, D., Celletti, P. and Marzo, A.
High-performance liquid chromatography and capillary electrophoresis of L- and D-carnitine by precolumn diastereomeric derivatization 657(1994)67

Dickens, J.E., Gorse, J., Everhart, J.A. and Ryan, M.
Dependence of electroosmotic flow in capillary electrophoresis on Group I and II metal ions 657(1994)401

Diedrich, P., see Zhao, J.Y. 657(1994)307

Dieterle, W., see Flesch, G. 657(1994)155

D'Incalci, M., see Gentili, D. 657(1994)47

Dovichi, N.J., see Chen, D.Y. 657(1994)265

Dovichi, N.J., see Zhao, J.Y. 657(1994)307

Ebinger, G., see Van Belle, K. 657(1994)149

Emm, T.A., see Wu, S.T. 657(1994)254

Engels, W., see Van Haaster, C.M.C.J. 657(1994)261

Eriksson, C.G., see Pettersson, L. 657(1994)31

Ermisch, A., see Begley, D.J. 657(1994)185

Evans, G.L., see Harker, A.J. 657(1994)227

Everhart, J.A., see Dickens, J.E. 657(1994)401

Fang, X.G., see Thomas, B.R. 657(1994)383

Ferrari, M., see Gelfi, C. 657(1994)201

Flesch, G., Mann, C., Boss, E., Lang, M., Degen, P.H. and Dieterle, W.
Quantitative determination of CGP 53 437, a new HIV protease inhibitor, in plasma by high-performance liquid chromatography and fluorescence detection 657(1994)155

Foley, J.P., see Ahuja, E.S. 657(1994)271

Frazier, D., see Cox, S. 657(1994)243

Galletti, B., see De Witt, P. 657(1994)67

Galli Kienle, M., see Magni, F. 657(1994)1

Gasco-Lopez, A.I., see Santos-Montes, A. 657(1994)248

Gelfi, C., Orsi, A., Righetti, P.G., Zanussi, M., Carrera, P. and Ferrari, M.
Capillary zone electrophoresis in polymer networks of polymerase chain reaction-amplified oligonucleotides: the case of congenital adrenal hyperplasia 657(1994)201

Gentili, D., Zucchetti, M., Conter, V., Masera, G. and D'Incalci, M.
Determination of L-asparagine in biological samples in the presence of L-asparaginase 657(1994)47

Ghittori, S., see Maestri, L. 657(1994)111

Ghodbane, S., see Thomas, B.R. 657(1994)383

Gonzalo-Lumbreras, R., see Santos-Montes, A. 657(1994)248
Goossens, J.F., Leroux, F., Pommery, N., Pommery, J. and Hénichart, J.P.
High-performance liquid chromatographic determination of cyclic 3′,5′-AMP with fluorescence detection. Vasoactive intestinal peptide-induced modification of its concentration in neuroblastoma cells 657(1994)192
Gordon, B.H., Bakes, D.M., Bennett, P., LeBras, B., Walther, B., Lucas, C., Marc, S. and Gouyette, A.
Methods for the analysis of the new vinca alkaloid derivative, S 12363, in plasma by high-performance liquid chromatography with fluorescence detection 657(1994)163
Gorrod, J.W., see Tomlinson, A.J. 657(1994)373
Gorse, J., see Dickens, J.E. 657(1994)401
Gouyette, A., see Gordon, B.H. 657(1994)163
Hadzija, B.W., see Ruddy, S.B. 657(1994)83
Harker, A.J., Evans, G.L., Hawley, A.E. and Morris, D.M.
High-performance liquid chromatographic assay for 2′-deoxy-3′-thiacytidine in human serum 657(1994)227
Harper, S.B., Hurst, W.J. and Lang, C.M.
Use of capillary electrophoresis–isoelectric focusing for the determination of bovine hemoglobin variants 657(1994)339
Harvey, R., see Cox, S. 657(1994)243
Hawley, A.E., see Harker, A.J. 657(1994)227
Hénichart, J.P., see Goossens, J.F. 657(1994)192
Henry, P., see Renard, L. 657(1994)219
Hindsgaul, O., see Zhao, J.Y. 657(1994)307
Hines, H.B., see Stafford, R.G. 657(1994)119
Höflich, G., see Bagli, M. 657(1994)141
Hornstra, G., see Van Haaster, C.M.C.J. 657(1994)261
Huang, S.-M., see Wu, S.T. 657(1994)254
Hughes, D.E.
Capillary electrophoretic examination of underivatized O-linked and N-linked oligosaccharide mixtures and immunoglobulin G antibody-released oligosaccharide libraries 657(1994)315
Hurst, W.J., see Harper, S.B. 657(1994)339
Imbriani, M., see Maestri, L. 657(1994)111
Issaq, H.J.
Foreword 657(1994)263
Issaq, H.J., see Chan, K.C. 657(1994)301
Issaq, H.J., see Janini, G.M. 657(1994)419
Izquierdo-Hornillos, R., see Santos-Montes, A. 657(1994)248
Janini, G.M., Chan, K.C., Muschik, G.M. and Issaq, H.J.
Analysis of nitrate and nitrite in water and urine by capillary zone electrophoresis 657(1994)419
Jianying, Z., see Sugahara, K. 657(1994)15
Johnson, R., Christensen, J. and Lin, C.-C.
Sensitive gas–liquid chromatographic method for the determination of loratadine and its major active metabolite, descarboethoxyloratadine, in human plasma using a nitrogen–phosphorus detector 657(1994)125
Kapil, R.P., see Wu, S.T. 657(1994)254
Kataoka, H., Tanaka, H. and Makita, M.
Determination of total cysteamine in urine and plasma samples by gas chromatography with flame photometric detection 657(1994)9
Kikura, R., see Nakahara, Y. 657(1994)93
Kodama, H., see Sugahara, K. 657(1994)15
Lang, C.M., see Harper, S.B. 657(1994)339
Lang, M., see Flesch, G. 657(1994)155
Laurentie, M., see Renard, L. 657(1994)219
LeBras, B., see Gordon, B.H. 657(1994)163
Lecchi, P., see Magni, F. 657(1994)1
Lee, C.S., see Tsai, P. 657(1994)285
Lee, Jr., W.M., see Wu, S.T. 657(1994)254
Lemmens, P.J.M.R., see Van Haaster, C.M.C.J. 657(1994)261
Leroux, F., see Goossens, J.F. 657(1994)192
Lin, C.-C., see Johnson, R. 657(1994)125
Linhares, M.C., see Wu, D. 657(1994)357
Liu, H. and Wehmeyer, K.R.
Supercritical fluid extraction as a sample preparation technique for the direct isolation of drugs from plasma prior to analysis 657(1994)206
Locatelli, M., see Ascalone, V. 657(1994)133
Lucas, C., see Gordon, B.H. 657(1994)163
Lukácsová, M., see Veningerová, M. 657(1994)103
Lunte, S.M., see Regan, F.B. 657(1994)409
Maboundou, C.W., Paintaud, G., Bérard, M. and Bechtel, P.R.
Separation of fifteen non-steroidal anti-inflammatory drugs using micellar electrokinetic capillary chromatography 657(1994)173
Maestri, L., Ghittori, S., Imbriani, M. and Capodaglio, E.
Determination of 2,5-hexandione by high-performance liquid chromatography after derivatization with dansylhydrazine 657(1994)111
Magni, F., Piatti, P.M., Monti, L.D., Lecchi, P., Pontiroli, A.E., Pozza, G. and Galli Kienle, M.
Fast gas chromatographic–mass spectrometric method for the evaluation of plasma fatty acid turnover using [1-^{13}C]palmitate 657(1994)1
Makita, M., see Kataoka, H. 657(1994)9
Malavasi, B., see Ascalone, V. 657(1994)133
Mann, C., see Flesch, G. 657(1994)155
Marc, S., see Gordon, B.H. 657(1994)163
Marzo, A., see De Witt, P. 657(1994)67
Masera, G., see Gentili, D. 657(1994)47
McGuire, M.T., see Chan, K.C. 657(1994)301
Meaney, M.P., see Regan, F.B. 657(1994)409
Meloni, D., see De Witt, P. 657(1994)67
Michotte, Y., see Van Belle, K. 657(1994)149
Monti, L.D., see Magni, F. 657(1994)1
Mopper, B., see Sciacchitano, C.J. 657(1994)395
Morris, D.M., see Harker, A.J. 657(1994)227
Muck, S., see De Witt, P. 657(1994)67
Muschik, G.M., see Chan, K.C. 657(1994)301
Muschik, G.M., see Janini, G.M. 657(1994)419
Müthing, J.
Improved thin-layer chromatographic separation of gangliosides by automated multiple development 657(1994)75

Nagatsu, T., see Candito, M. 657(1994)61
Nakahara, Y., Kikura, R. and Takahashi, K.
Hair analysis for drugs of abuse. VIII. Effective extraction and determination of 6-acetylmorphine and morphine in hair with trifluoroacetic acid–methanol for the confirmation of retrospective heroin use by gas chromatography–mass spectrometry 657(1994)93
Naylor, S., see Tomlinson, A.J. 657(1994)373
Orsi, A., see Gelfi, C. 657(1994)201
Padovani, P.K., see Wu, S.T. 657(1994)254
Paintaud, G., see Maboundou, C.W. 657(1994)173
Pawliszyn, J., see Vonguyen, L. 657(1994)333
Pawliszyn, J., see Wu, J. 657(1994)327
Pettersson, L. and Eriksson, C.G.
Reversed-phase high-performance liquid chromatographic determination of 7α-hydroxy-4-cholesten-3-one in human serum 657(1994)31
Piatti, P.M., see Magni, F. 657(1994)1
Plasse, J.C., see Schrive, I. 657(1994)233
Pommery, J., see Goossens, J.F. 657(1994)192
Pommery, N., see Goossens, J.F. 657(1994)192
Pontiroli, A.E., see Magni, F. 657(1994)1
Pozza, G., see Magni, F. 657(1994)1
Prachar, V., see Veningerová, M. 657(1994)103
Preston, B.P., see Ahuja, E.S. 657(1994)271
Purdy, W.C., see Tadey, T. 657(1994)365
Rao, M.L., see Bagli, M. 657(1994)141
Regan, F.B., Lunte, S.M. and Meaney, M.P.
Determination of metal ions by capillary electrophoresis using on-column complexation with 4-(2-pyridylazo)resorcinol following trace enrichment by peak stacking 657(1994)409
Regnier, F.E., see Wu, D. 657(1994)357
Reichel, A., see Begley, D.J. 657(1994)185
Renard, L., Henry, P., Sanders, P., Laurentie, M. and Delmas, J.-M.
Determination of spiramycin and neospiramycin in plasma and milk of lactating cows by reversed-phase high-performance liquid chromatography 657(1994)219
Richards, M.P.
Application of a polyamine-coated capillary to the separation of metallothionein isoforms by capillary zone electrophoresis 657(1994)345
Righetti, P.G., see Gelfi, C. 657(1994)201
Ross, M.A.
Determination of ascorbic acid and uric acid in plasma by high-performance liquid chromatography 657(1994)197
Ruddy, S.B. and Hadzija, B.W.
High-performance liquid chromatographic method for the simultaneous determination of low-molecular-mass oligomers of polyethylene glycol in aqueous skin extracts 657(1994)83
Ryan, M., see Dickens, J.E. 657(1994)401
Sanders, P., see Renard, L. 657(1994)219
Santos-Montes, A., Gonzalo-Lumbreras, R., Gasco-Lopez, A.I. and Izquierdo-Hornillos, R.
Extraction and high-performance liquid chromatographic separation of deflazacort and its metabolite 21-hydroxydeflazacort Application to urine samples 657(1994)248
Sarre, S., see Van Belle, K. 657(1994)149
Schrive, I. and Plasse, J.C.
Quantification of zidovudine and one of its metabolites in plasma and urine by solid-phase extraction and high-performance liquid chromatography 657(1994)233
Sciacchitano, C.J., Mopper, B. and Specchio, J.J.
Identification and separation of five cephalosporins by micellar electrokinetic capillary chromatography 657(1994)395
Sentell, K.B., see St. Pierre, L.A. 657(1994)291
Snader, K.M., see Chan, K.C. 657(1994)301
Specchio, J.J., see Sciacchitano, C.J. 657(1994)395
Stafford, R.G. and Hines, H.B.
Method for the identification of saxitoxin in rat urine 657(1994)119
Stampfli, H.F., see Wu, S.T. 657(1994)254
St. Pierre, L.A. and Sentell, K.B.
Cyclodextrins as enantioselective mobile phase modifiers for chiral capillary electrophoresis. Effects of pH and cyclodextrin concentration 657(1994)291
Sugahara, K., Jianying, Z. and Kodama, H.
Liquid chromatographic–mass spectrometric analysis of N-acetylamino acids in human urine 657(1994)15
Tadey, T. and Purdy, W.C.
Capillary electrophoretic separation of nucleotide isomers via complexation with cyclodextrin and borate 657(1994)365
Takahashi, K., see Nakahara, Y. 657(1994)93
Takeda, N. and Yamamoto, A.
Simultaneous determination of 13-*cis*- and all-*trans*-retinoic acids and retinol in human serum by high-performance liquid chromatography 657(1994)53
Tanaka, H., see Kataoka, H. 657(1994)9
Terefe, H. and Blaschke, G.
Direct determination of the enantiomers of the antimalarial drug halofantrine and its active metabolite N-desbutylhalofantrine in human plasma 657(1994)238
Thomas, B.R., Fang, X.G., Chen, X., Tyrrell, R.J. and Ghodbane, S.
Validated micellar electrokinetic capillary chromatography method for quality control of the drug substances hydrochlorothiazide and chlorothiazide 657(1994)383
Tomlinson, A.J., Benson, L.M., Gorrod, J.W. and Naylor, S.
Investigation of the *in vitro* metabolism of the H_2-antagonist mifentidine by on-line capillary electrophoresis–mass spectrometry using non-aqueous separation conditions 657(1994)373
Trnovec, T., see Veningerová, M. 657(1994)103
Tsai, P., Wu, C.-T. and Lee, C.S.
Electrokinetic studies of inorganic coated capillaries 657(1994)285
Tyrrell, R.J., see Thomas, B.R. 657(1994)383
Uhnák, J., see Veningerová, M. 657(1994)103
Van Belle, K., De Koster, V., Sarre, S., Ebinger, G. and Michotte, Y.
Narrow-bore liquid chromatographic assay for oxcarbazepine and its major metabolite in rat brain, liver and blood microdialysates 657(1994)149

Van der Vusse, G.J., see Van Haaster, C.M.C.J. 657(1994)261
Van Haaster, C.M.C.J., Engels, W., Lemmens, P.J.M.R., Hornstra, G. and Van der Vusse, G.J.
Rapid and highly sensitive high-performance liquid chromatographic method for the determination of histamine and 3-methylhistamine in biological samples using fluorescamine as the derivatizing agent 657(1994)261
Veningerová, M., Prachar, V., Uhnák, J., Lukácsová, M. and Trnovec, T.
Determination of chlorinated phenols and cresols in human urine using solid-phase extraction and gas chromatography 657(1994)103
Vonguyen, L., Wu, J. and Pawliszyn, J.
Peptide mapping of bovine and chicken cytochrome *c* by capillary isoelectric focusing with universal concentration gradient imaging 657(1994)333
Walther, B., see Gordon, B.H. 657(1994)163
Waterfield, C.J.
Determination of taurine in biological samples and isolated hepatocytes by high-performance liquid chromatography with fluorimetric detection 657(1994)37
Wehmeyer, K.R., see Liu, H. 657(1994)206
Wu, C.-T., see Tsai, P. 657(1994)285
Wu, D., Regnier, F.E. and Linhares, M.C.
Electrophoretically mediated micro-assay of alkaline phosphatase using electrochemical and spectrophotometric detection in capillary electrophoresis 657(1994)357
Wu, J. and Pawliszyn, J.
Application of capillary isoelectric focusing with absorption imaging detection to the analysis of proteins 657(1994)327
Wu, J., see Vonguyen, L. 657(1994)333
Wu, S.T., Stampfli, H.F., Banks, C.M., Emm, T.A., Kapil, R.P., Padovani, P.K., Lee, Jr., W.M. and Huang, S.-M.
Determination of DMP 728, a IIb/IIIa receptor antagonist, in rat and dog plasma by high-performance liquid chromatography with fluorimetric detection 657(1994)254
Yamamoto, A., see Takeda, N. 657(1994)53
Zanussi, M., see Gelfi, C. 657(1994)201
Zhang, J.Y. and Blair, I.A.
Direct resolution of epoxyeicosatrienoic acid enantiomers by chiral-phase high-performance liquid chromatography 657(1994)23
Zhang, Y., see Zhao, J.Y. 657(1994)307
Zhao, J.Y., Diedrich, P., Zhang, Y., Hindsgaul, O. and Dovichi, N.J.
Separation of aminated monosaccharides by capillary zone electrophoresis with laser-induced fluorescence detection 657(1994)307
Zucchetti, M., see Gentili, D. 657(1994)47

Compound Index Vol. 657

N-Acetylamino acids
Liquid chromatographic–mass spectrometric analysis of N-acetylamino acids in human urine 657(1994)15

N-Acetylgalactosamine
Separation of aminated monosaccharides by capillary zone electrophoresis with laser-induced fluorescence detection 657(1994)307

N-Acetylglucosamine
Separation of aminated monosaccharides by capillary zone electrophoresis with laser-induced fluorescence detection 657(1994)307

6-Acetylmorphine
Hair analysis for drugs of abuse. VIII. Effective extraction and determination of 6-acetylmorphine and morphine in hair with trifluoroacetic acid–methanol for the confirmation of retrospective heroin use by gas chromatography–mass spectrometry 657(1994)93

Adenosine phosphates
High-performance liquid chromatographic determination of cyclic 3′,5′-AMP with fluorescence detection. Vasoactive intestinal peptide-induced modification of its concentration in neuroblastoma cells 657(1994)192

Alkaline phosphatase
Electrophoretically mediated micro-assay of alkaline phosphatase using electrochemical and spectrophotometric detection in capillary electrophoresis 657(1994)357

Alkaloids
Methods for the analysis of the new vinca alkaloid derivative, S 12363, in plasma by high-performance liquid chromatography with fluorescence detection 657(1994)163

Amino acids
Liquid chromatographic–mass spectrometric analysis of N-acetylamino acids in human urine 657(1994)15

Determination of L-asparagine in biological samples in the presence of L-asparaginase 657(1994)47

Amino acids, OPA derivatives
Simple high-performance liquid chromatographic analysis of free primary amino acid concentrations in rat plasma and cisternal cerebrospinal fluid 657(1994)185

1-Amino-1-deoxy alditols
Separation of aminated monosaccharides by capillary zone electrophoresis with laser-induced fluorescence detection 657(1994)307

Antibiotics
Identification and separation of five cephalosporins by micellar electrokinetic capillary chromatography 657(1994)395

Ascorbic acid
Determination of ascorbic acid and uric acid in plasma by high-performance liquid chromatography 657(1994)197

L-Asparaginase
Determination of L-asparagine in biological samples in the presence of L-asparaginase 657(1994)47

L-Asparagine
Determination of L-asparagine in biological samples in the presence of L-asparaginase 657(1994)47

Atropine
Cyclodextrins as enantioselective mobile phase modifiers for chiral capillary electrophoresis. Effects of pH and cyclodextrin concentration 657(1994)291

Baccatin III
High-performance liquid chromatography and micellar electrokinetic chromatography of taxol and related taxanes from bark and needle extracts of *Taxus* species 657(1994)301

Barium
Dependence of electroosmotic flow in capillary electrophoresis on Group I and II metal ions 657(1994)401

Borate
Capillary electrophoretic separation of nucleotide isomers via complexation with cyclodextrin and borate 657(1994)365

Calcium
Dependence of electroosmotic flow in capillary electrophoresis on Group I and II metal ions 657(1994)401

Carbohydrates
Separation of aminated monosaccharides by capillary zone electrophoresis with laser-induced fluorescence detection 657(1994)307

Capillary electrophoretic examination of underivatized O-linked and N-linked oligosaccharide mixtures and immunoglobulin G antibody-released oligosaccharide libraries 657(1994)315

Carnitine
High-performance liquid chromatography and capillary electrophoresis of L- and D-carnitine by precolumn diastereomeric derivatization 657(1994)67

Cefamandole nafate
Identification and separation of five cephalosporins by micellar electrokinetic capillary chromatography 657(1994)395

Cefuroxime
Identification and separation of five cephalosporins by micellar electrokinetic capillary chromatography 657(1994)395

Cephalexin
Identification and separation of five cephalosporins by micellar electrokinetic capillary chromatography 657(1994)395

Cephalomannine
High-performance liquid chromatography and micellar electrokinetic chromatography of taxol and related taxanes from bark and needle extracts of *Taxus* species 657(1994)301

Cephalosporins
Identification and separation of five cephalosporins by micellar electrokinetic capillary chromatography 657(1994)395

Cephalothin
Identification and separation of five cephalosporins by micellar electrokinetic capillary chromatography 657(1994)395

Cephapirin
Identification and separation of five cephalosporins by micellar electrokinetic capillary chromatography 657(1994)395

CGP 53 437
Quantitative determination of CGP 53 437, a new HIV protease inhibitor, in plasma by high-performance liquid chromatography and fluorescence detection 657(1994)155

Chlorocresols
Determination of chlorinated phenols and cresols in human urine using solid-phase extraction and gas chromatography 657(1994)103

Chlorophenols
Determination of chlorinated phenols and cresols in human urine using solid-phase extraction and gas chromatography 657(1994)103

Chlorpheniramine
Cyclodextrins as enantioselective mobile phase modifiers for chiral capillary electrophoresis. Effects of pH and cyclodextrin concentration 657(1994)291

Chlorprothixene
Quantification of chlorprothixene, levomepromazine and promethazine in human serum using high-performance liquid chromatography with coulometric electrochemical detection 657(1994)141

Chlorthiazide
Validated micellar electrokinetic capillary chromatography method for quality control of the drug substances hydrochlorothiazide and chlorothiazide 657(1994)383

Cobalt
Determination of metal ions by capillary electrophoresis using on-column complexation with 4-(2-pyridylazo)resorcinol following trace enrichment by peak stacking 657(1994)409

Copper
Determination of metal ions by capillary electrophoresis using on-column complexation with 4-(2-pyridylazo)resorcinol following trace enrichment by peak stacking 657(1994)409

Cresols (chlorinated)
Determination of chlorinated phenols and cresols in human urine using solid-phase extraction and gas chromatography 657(1994)103

Cyclic 3′,5′-adenosine monophosphate
High-performance liquid chromatographic determination of cyclic 3′,5′-AMP with fluorescence detection. Vasoactive intestinal peptide-induced modification of its concentration in neuroblastoma cells 657(1994)192

Cyclodextrins
Cyclodextrins as enantioselective mobile phase modifiers for chiral capillary electrophoresis. Effects of pH and cyclodextrin concentration 657(1994)291

Cysteamine
Determination of total cysteamine in urine and plasma samples by gas chromatography with flame photometric detection 657(1994)9

Cytochrome *c*
Peptide mapping of bovine and chicken cytochrome *c* by capillary isoelectric focusing with universal concentration gradient imaging 657(1994)333

Deflazacort
Extraction and high-performance liquid chromatographic separation of deflazacort and its metabolite 21-hydroxydeflazacort. Application to urine samples 657(1994)248

2′-Deoxy-3′-thiacytidine
High-performance liquid chromatographic assay for 2′-deoxy-3′-thiacytidine in human serum 657(1994)227

O-Desacetyldiltiazem
Determination of diltiazem and its main metabolites in human plasma by automated solid-phase extraction and high-performance liquid chromatography: a new method overcoming instability of the compounds and interference problems 657(1994)133

N-Desacetylmonodesmethyldiltiazem
Determination of diltiazem and its main metabolites in human plasma by automated solid-phase extraction and high-performance liquid chromatography: a new method overcoming instability of the compounds and interference problems 657(1994)133

N-Desbutylhalofantrine
Direct determination of the enantiomers of the antimalarial drug halofantrine and its active metabolite N-desbutylhalofantrine in human plasma 657(1994)238

Descarboethoxyloratidine
Sensitive gas–liquid chromatographic method for the determination of loratadine and its major active metabolite, descarboethoxyloratadine, in human plasma using a nitrogen–phosphorus detector 657(1994)125

10,11-Dihydro-10-hydroxycarbamazepine
Narrow-bore liquid chromatographic assay for oxcarbazepine and its major metabolite in rat brain, liver and blood microdialysates 657(1994)149

Diltiazen
Determination of diltiazem and its main metabolites in human plasma by automated solid-phase extraction and high-performance liquid chromatography: a new method overcoming instability of the compounds and interference problems 657(1994)133

DMP 728
Determination of DMP 728, a IIb/IIIa receptor antagonist, in rat and dog plasma by high-performance liquid chromatography with fluorimetric detection 657(1994)254

N-Dodecyl-N,N-dimethylammonium-3-propane-1-sulphonic acid
Anionic–zwitterionic mixed micelles in micellar electrokinetic chromatography: sodium dodecyl sulfate–N-dodecyl-N,N-dimethylammonium-3-propane-1-sulfonic acid 657(1994)271

[D-Ala^2-D-Leu^5] Enkephalin
High-performance liquid chromatographic determination of intrathecally administered [D-Ala^2-D-Leu^5]-enkephalin concentrations in canine cerebrospinal fluid 657(1994)243

Enzymes
Determination of L-asparagine in biological samples in the presence of L-asparaginase 657(1994)47

Electrophoretically mediated micro-assay of alkaline phosphatase using electrochemical and spectrophotometric detection in capillary electrophoresis 657(1994)357

Epoxyeicosatrienoic acids
Direct resolution of epoxyeicosatrienoic acid enantiomers by chiral-phase high-performance liquid chromatography 657(1994)23

Ethidium bromide
Capillary zone electrophoresis in polymer networks of polymerase chain reaction-amplified oligonucleotides: the case of congenital adrenal hyperplasia 657(1994)201

Fatty acids
Fast gas chromatographic–mass spectrometric method for the evaluation of plasma fatty acid turnover using [1-^{13}C]palmitate 657(1994)1

Flavone
Supercritical fluid extraction as a sample preparation technique for the direct isolation of drugs from plasma prior to analysis 657(1994)206

Fucose
Separation of aminated monosaccharides by capillary zone electrophoresis with laser-induced fluorescence detection 657(1994)307

Galactose
Separation of aminated monosaccharides by capillary zone electrophoresis with laser-induced fluorescence detection 657(1994)307

Gangliosides
Improved thin-layer chromatographic separation of gangliosides by automated multiple development 657(1994)75

Glucose
Separation of aminated monosaccharides by capillary zone electrophoresis with laser-induced fluorescence detection 657(1994)307

Haemoglobin
Use of capillary electrophoresis–isoelectric focusing for the determination of bovine hemoglobin variants 657(1994)339

Halofantrine
Direct determination of the enantiomers of the antimalarial drug halofantrine and its active metabolite N-desbutylhalofantrine in human plasma 657(1994)238

Heroin
Hair analysis for drugs of abuse.VIII. Effective extraction and determination of 6-acetylmorphine and morphine in hair with trifluoroacetic acid–methanol for the confirmation of retrospective heroin use by gas chromatography–mass spectrometry 657(1994)93

2,5-Hexandione
Determination of 2,5-hexandione by high-performance liquid chromatography after derivatization with dansylhydrazine 657(1994)111

Histamine
Rapid and highly sensitive high-performance liquid chromatographic method for the determination of histamine and 3-methylhistamine in biological samples using fluorescamine as the derivatizing agent 657(1994)261

Homovanillic acid
High-performance liquid chromatographic measurement of cerebrospinal fluid tetrahydrobiopterin, neopterin, homovanillic acid and 5-hydroxindoleacetic acid in neurological diseases 657(1994)61

Human immunodeficiency virus protease inhibition
Quantitative determination of CGP 53 437, a new HIV protease inhibitor, in plasma by high-performance liquid chromatography and fluorescence detection 657(1994)155

Hydrochlorthiazide
Validated micellar electrokinetic capillary chromatography method for quality control of the drug substances hydrochlorothiazide and chlorothiazide 657(1994)383

5-Hydroxyindoleacetic acid
High-performance liquid chromatographic measurement of cerebrospinal fluid tetrahydrobiopterin, neopterin, homovanillic acid and 5-hydroxindoleacetic acid in neurological diseases 657(1994)61

21-Hydroxydeflazacort
Extraction and high-performance liquid chromatographic separation of deflazacort and its metabolite 21-hydroxydeflazacort. Application to urine samples 657(1994)248

7α-Hydroxy-4-cholesten-3-one
Reversed-phase high-performance liquid chromatographic determination of 7α-hydroxy-4-cholesten-3-one in human serum 657(1994)31

Iron
Determination of metal ions by capillary electrophoresis using on-column complexation with 4-(2-pyridylazo)resorcinol following trace enrichment by peak stacking 657(1994)409

Ketorolac
Supercritical fluid extraction as a sample preparation technique for the direct isolation of drugs from plasma prior to analysis 657(1994)206

Levomepromazine
Quantification of chlorprothixene, levomepromazine and promethazine in human serum using high-performance liquid chromatography with coulometric electrochemical detection 657(1994)141

Lithium
Dependence of electroosmotic flow in capillary electrophoresis on Group I and II metal ions 657(1994)401

Loratidine
Sensitive gas–liquid chromatographic method for the determination of loratadine and its major active metabolite, descarboethoxyloratadine, in human plasma using a nitrogen–phosphorus detector 657(1994)125

Low-molecular-mass oligomers
High-performance liquid chromatographic method for the simultaneous determination of low-molecular-mass oligomers of polyethylene glycol in aqueous skin extracts 657(1994)83

Mannose
Separation of aminated monosaccharides by capillary zone electrophoresis with laser-induced fluorescence detection 657(1994)307

Metal ions
Dependence of electroosmotic flow in capillary electrophoresis on Group I and II metal ions 657(1994)401

Determination of metal ions by capillary electrophoresis using on-column complexation with 4-(2-pyridylazo)resorcinol following trace enrichment by peak stacking 657(1994)409

Metallothioneins
Application of a polyamine-coated capillary to the separation of metallothionein isoforms by capillary zone electrophoresis 657(1994)345

3-Methylhistamine
Rapid and highly sensitive high-performance liquid chromatographic method for the determination of histamine and 3-methylhistamine in biological samples using fluorescamine as the derivatizing agent 657(1994)261

Metoprolol
Cyclodextrins as enantioselective mobile phase modifiers for chiral capillary electrophoresis. Effects of pH and cyclodextrin concentration 657(1994)291

Mifentidine
Investigation of the *in vitro* metabolism of the H_2-antagonist mifentidine by on-line capillary electrophoresis–mass spectrometry using non-aqueous separation conditions 657(1994)373

N-Monodesmethyldiltiazem
Determination of diltiazem and its main metabolites in human plasma by automated solid-phase extraction and high-performance liquid chromatography: a new method overcoming instability of the compounds and interference problems 657(1994)133

Morphine
Hair analysis for drugs of abuse. VIII. Effective extraction and determination of 6-acetylmorphine and morphine in hair with trifluoroacetic acid–methanol for the confirmation of retrospective heroin use by gas chromatography–mass spectrometry 657(1994)93

Neopterin
High-performance liquid chromatographic measurement of cerebrospinal fluid tetrahydrobiopterin, neopterin, homovanillic acid and 5-hydroxindoleacetic acid in neurological diseases 657(1994)61

Neospiramycin
Determination of spiramycin and neospiramycin in plasma and milk of lactating cows by reversed-phase high-performance liquid chromatography 657(1994)219

Nitrate
Analysis of nitrate and nitrite in water and urine by capillary zone electrophoresis 657(1994)419

Nitrite
Analysis of nitrate and nitrite in water and urine by capillary zone electrophoresis 657(1994)419

Non-steroidal anti-inflammatory drugs
Separation of fifteen non-steroidal anti-inflammatory drugs using micellar electrokinetic capillary chromatography 657(1994)173

Nucleosides
High-performance liquid chromatographic assay for 2′-deoxy-3′-thiacytidine in human serum 657(1994)227

Capillary electrophoretic separation of nucleotide isomers via complexation with cyclodextrin and borate 657(1994)365

Nucleotides
Capillary electrophoretic separation of nucleotide isomers via complexation with cyclodextrin and borate 657(1994)365

Oligomers
High-performance liquid chromatographic method for the simultaneous determination of low-molecular-mass oligomers of polyethylene glycol in aqueous skin extracts 657(1994)83

Oligonucleotides
Capillary zone electrophoresis in polymer networks of polymerase chain reaction-amplified oligonucleotides: the case of congenital adrenal hyperplasia 657(1994)201

Oligosaccharides
Capillary electrophoretic examination of underivatized O-linked and N-linked oligosaccharide mixtures and immunoglobulin G antibody-released oligosaccharide libraries 657(1994)315

Oxcarbazepine
Narrow-bore liquid chromatographic assay for oxcarbazepine and its major metabolite in rat brain, liver and blood microdialysates 657(1994)149

Paclitaxel
High-performance liquid chromatography and micellar electrokinetic chromatography of taxol and related taxanes from bark and needle extracts of *Taxus* species 657(1994)301

Palmitate
Fast gas chromatographic–mass spectrometric method for the evaluation of plasma fatty acid turnover using [1-^{13}C]palmitate 657(1994)1

Peptides
High-performance liquid chromatographic determination of intrathecally administered [D-Ala^2-D-Leu^5]-enkephalin concentrations in canine cerebrospinal fluid 657(1994)243

Phenols (chlorinated)
Determination of chlorinated phenols and cresols in human urine using solid-phase extraction and gas chromatography 657(1994)103

Platelet factor antagonist
Determination of the platelet activating factor antagonist 6-(2-chlorophenyl)-9-[(4-methoxyphenyl)thiocarbamoyl]-1-methyl-7,8,9,10-tetrahydro-4H-pyrido[4′,3′-4,5]- thieno[3,2-*f*][1,2,4]triazolo[4,3-*a*][1,4] diazepine in human plasma by liquid chromatography–thermospray mass spectrometry 657(1994)214

Platelet glycoprotein IIb/IIIa receptor antagonist
Determination of DMP 728, a IIb/IIIa receptor antagonist, in rat and dog plasma by high-performance liquid chromatography with fluorimetric detection 657(1994)254

Polyethylene glycol
High-performance liquid chromatographic method for the simultaneous determination of low-molecular-mass oligomers of polyethylene glycol in aqueous skin extracts 657(1994)83

Polysialogangliosides
Improved thin-layer chromatographic separation of gangliosides by automated multiple development 657(1994)75

Potassium
Dependence of electroosmotic flow in capillary electrophoresis on Group I and II metal ions 657(1994)401

Promethazine
Quantification of chlorprothixene, levomepromazine and promethazine in human serum using high-performance liquid chromatography with coulometric electrochemical detection 657(1994)141

Propranolol
Cyclodextrins as enantioselective mobile phase modifiers for chiral capillary electrophoresis. Effects of pH and cyclodextrin concentration 657(1994)291

Proteins
Electrokinetic studies of inorganic coated capillaries 657(1994)285

Capillary electrophoretic examination of underivatized O-linked and N-linked oligosaccharide mixtures and immunoglobulin G antibody-released oligosaccharide libraries 657(1994)315

Application of capillary isoelectric focusing with absorption imaging detection to the analysis of proteins 657(1994)327

Use of capillary electrophoresis–isoelectric focusing for the determination of bovine hemoglobin variants 657(1994)339

Application of a polyamine-coated capillary to the separation of metallothionein isoforms by capillary zone electrophoresis 657(1994)345

Retinoic acids
Simultaneous determination of 13-*cis*- and all-*trans*-retinoic acids and retinol in human serum by high-performance liquid chromatography 657(1994)53

Retinol
Simultaneous determination of 13-*cis*- and all-*trans*-retinoic acids and retinol in human serum by high-performance liquid chromatography 657(1994)53

Rhodamine 6G
Yoctomole detection limit by laser-induced fluorescence in capillary electrophoresis 657(1994)265

Saxitoxin
Method for the identification of saxitoxin in rat urine 657(1994)119

S12363
Methods for the analysis of the new vinca alkaloid derivative, S 12363, in plasma by high-performance liquid chromatography with fluorescence detection 657(1994)163

Sodium
Dependence of electroosmotic flow in capillary electrophoresis on Group I and II metal ions 657(1994)401

Sodium dodecyl sulphate
Anionic–zwitterionic mixed micelles in micellar electrokinetic chromatography: sodium dodecyl sulfate–N-dodecyl-N,N-dimethylammonium-3-propane-1-sulfonic acid 657(1994)271

Spiramycin
Determination of spiramycin and neospiramycin in plasma and milk of lactating cows by reversed-phase high-performance liquid chromatography 657(1994)219

Steroids
Reversed-phase high-performance liquid chromatographic determination of 7α-hydroxy-4-cholesten-3-one in human serum 657(1994)31

Surfactants
Anionic–zwitterionic mixed micelles in micellar electrokinetic chromatography: sodium dodecyl sulfate–N-dodecyl-N,N-dimethylammonium-3-propane-1-sulfonic acid 657(1994)271

Taurine
Determination of taurine in biological samples and isolated hepatocytes by high-performance liquid chromatography with fluorimetric detection 657(1994)37

Taxol
High-performance liquid chromatography and micellar electrokinetic chromatography of taxol and related taxanes from bark and needle extracts of *Taxus* species 657(1994)301

Terbutaline
Cyclodextrins as enantioselective mobile phase modifiers for chiral capillary electrophoresis. Effects of pH and cyclodextrin concentration 657(1994)291

Tetrahydrobiopterin
High-performance liquid chromatographic measurement of cerebrospinal fluid tetrahydrobiopterin, neopterin, homovanillic acid and 5-hydroxindoleacetic acid in neurological diseases 657(1994)61

Uric acid
Determination of ascorbic acid and uric acid in plasma by high-performance liquid chromatography 657(1994)197

Vinca alkaloids
Methods for the analysis of the new vinca alkaloid derivative, S 12363, in plasma by high-performance liquid chromatography with fluorescence detection 657(1994)163

Vitamin A
Simultaneous determination of 13-*cis*- and all-*trans*-retinoic acids and retinol in human serum by high-performance liquid chromatography 657(1994)53

Zidovudine, zidovudine glucuronide
Quantification of zidovudine and one of its metabolites in plasma and urine by solid-phase extraction and high-performance liquid chromatography 657(1994)233

Zinc
Determination of metal ions by capillary electrophoresis using on-column complexation with 4-(2-pyridylazo)resorcinol following trace enrichment by peak stacking 657(1994)409